

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	100179	((creat\$3 or generat\$3) with (code or transform\$3 or translat\$3 or convert\$3 or routine or software or module or function or procedure or architecture)) with (transform\$5 or translat\$3 or transfer\$4 or convert\$3 or migrat\$3) with (data or instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 08:50
L2	4759	L1 and ((transform\$4 or translat\$3 or conver\$4) with (database or (data adj base))) with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 08:53
L3	132	2 and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 09:08
L4	794	2 and ((target or source) near3 (database or (data adj base)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 09:10
L5	305	2 and ((target) near3 (database or (data adj base)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 09:10
L6	657	2 and (source near3 (database or (data adj base)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 09:11
L7	168	5 and (source near3 (database or (data adj base)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 10:24

EAST Search History

L8	2	((sanyal near dibyapran) and (chatterjee near arijit) and (keerthi near bhushan)).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 10:28
S1	6779	((creat\$3 or generat\$3 or instantiat\$3) adj5 (program or routine or software or module or function or procedure or method)) with (transform\$5 or translat\$3 or transfer\$4 or migrat\$3) with (data or content or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 08:47
S2	78	S1 and (big-endian or (big adj endian) or endian)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 10:07
S3	20795	((creat\$3 or generat\$3) with (program or routine or software or module or function or procedure or architecture)) with (transform\$5 or translat\$3 or transfer\$4 or migrat\$3) with (data or content or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 11:23
S4	16372	S3 and ((tranform\$5 or translat\$3 or transfer\$4 or migrat\$3) with (data or binary))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 10:06
S5	211	S4 and (big-endian or (big adj endian) or endian)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 11:27
S6	133	S5 not S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 10:17
S7	26	((generat\$3 or creat\$3 or instatiat\$3) near3 (source adj (model\$3 or code or structure or type))) same ((generat\$3 or creat\$3 or instantiat\$3) near3 (target adj (model\$3 or code or structure or type)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 10:57

EAST Search History

S8	100259	((creat\$3 or generat\$3) with (program or transformat\$3 or translat\$3 or convert\$3 or routine or software or module or function or procedure or architecture)) with (transform\$5 or translat\$3 or transfer\$4 or convert\$3 or migrat\$3) with (data or instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 13:32
S9	100072	S8 not (S6 or S2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 11:27
S10	100133	S8 not S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 11:27
S11	662	S8 and (big-endian or (big adj endian) or endian)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 11:28
S12	475	S11 not (S6 or S2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 11:28
S13	76	S12 and "712"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 11:30
S14	94	S8 and (source near3 model) and (target near3 model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 11:31
S15	69	S14 and (map\$4 with (source and target))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 13:56

EAST Search History

S16	100014	((creat\$3 or generat\$3) with (code or transformat\$3 or translat\$3 or convert\$3 or routine or software or module or function or procedure or architecture)) with (transform\$5 or translat\$3 or transfer\$4 or convert\$3 or migrat\$3) with (data or instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 08:49
S17	16006	S16 and ((translat\$3 or translat\$3 or covert\$3) with (binary or data or instruction or code or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 14:01
S18	3544	S17 and map\$4 and extract\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 14:01
S19	1936	S18 and (source and target)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 14:02
S20	1289	S19 and ((generat\$3 or creat\$3 or instantiat\$3) with source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 14:02
S21	756	S20 and ((generat\$3 or creat\$3 or instantiat\$3) with target)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 14:03
S22	169	S21 and (map\$4 with (source and target))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 14:03
S23	128	S22 and ((routine\$1 or program or tool or transform\$5 or conver\$4 or translat\$3 or procedure or module) with extract\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 14:05

EAST Search History

S24	2	((creat\$3 or generat\$3) with (code or transform\$3 or translat\$3 or convert\$3 or routine or software or module or function or procedure or architecture) near3 map\$3 near3 (source and target)) with (transform\$5 or translat\$3 or transfer\$4 or convert\$3 or migrat\$3) with (data or instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 14:25
S25	6142	(creat\$3 or generat\$3) near3 (transform\$4 or translat\$3 or conver\$4) near3 (routine or program or module or procedure or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 14:28
S26	2031	(creat\$3 or generat\$3) near3 (transform\$4 or translat\$3 or conver\$4) near3 (routine or program or module or procedure or software) with (transform\$5 or translat\$3 or conver\$4) with (data or binary or instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 14:29
S27	1599	S26 and (target or destination or first) and (source or original or second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 14:31
S28	54	S27 and "712"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 16:14
S29	190	S27 and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 14:56
S30	2	"20030014550"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 16:14